

Features

- FBI Certification
 - FBI IAFIS IQS Appendix-F Certified
- System Status Check
 - LED indicator shows status of device
 - The beep sound indicator
- Advanced Optical Technology
 - Sensor resistant to scratches, impact, vibration and electrostatic shock
- Superior Matching Engine
 - 1st in FVC(Fingerprint Verification Competition)
 - Auto-on Function (eNBioScan-D Plus)
- International Standard Image Format and Interfaces
 - WSQ compression
 - ISO 19794-2 & ANSI 378
- High Quality Image Capturing
- Strong Performance for Wet / Dry Finger

Application



■ e-passport



■ Immigration



■ National ID



■ Searching
Lost Children



■ Criminal
Investigation (AFIS)

Specification

Item	eNBioScan - D Plus
Sensing Area	1.9" x 1.9"(Roll : 1.6" x 1.5")
Image Size	952 x 952 pixels (Roll: 800 x 750 pixels)
Resolution	500 DPI
Interface	USB 2.0 High Speed
Operating Temperature	-20 ~ 60°C
Operating Humidity	< RH 90%
Power Source	USB Bus Power
Dimensions	73(H) x 180(L) x 93(W) mm
Certificate	KC, CE, FCC, FBI Appendix-F
OS	Windows 2000 or higher / Linux (Kernel 2.6.x)
Recommended Specification	Core2Duo 2.4GHz / 1GB RAM or higher
Remarks	Dual finger flat & Single finger flat / Single finger roll

Kimaldi Electronics

Crta. Rubí 292 B Pol. Ind. Can Guitard
08228 - Terrassa (Barcelona) Spain
Tel. 937 361 510 Fax. 937 361 511
kimaldi@kimaldi.com
www.kimaldi.com

Kimaldi Lusa

Rua José Galvão, nº 1 - B
2650 - 219 Amadora - Portugal
Tel. +351217156303 - Fax. +351217156295
portugal@kimaldi.com

eNBioScan-D Plus

